SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Voriconazole for IV infusion

Trade Name: Vfend: SPIONIC; VIMERO; Voriconazole pfizer
Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product used as antifungal agent

Details of the Supplier of the Safety Data Sheet

Pfizer Inc
Pfizer Pharmaceuticals Group
235 East 42nd Street
New York, New York 10017
1-800-879-3477

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Pfizer Ltd
Ramsgate Road
Sandwich, Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161
Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Skin Sensitization: Category 1
Reproductive Toxicity: Category 1B
Carcinogenicity: Category 2
Specific target organ systemic toxicity (repeated exposure): Category 2

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

EU Classification:

EU Indication of danger: Toxic to Reproduction: Category 2
Carcinogenic: Category 3
Irritant

EU Risk Phrases:

R40 - Limited evidence of a carcinogenic effect.
R43 - May cause sensitization by skin contact.
R61 - May cause harm to the unborn child.

Label Elements

Signal Word: Danger

2. HAZARDS IDENTIFICATION

Hazard Statements:

H317 - May cause an allergic skin reaction
H351 - Suspected of causing cancer
H360D - May damage the unborn child
H373 - May cause damage to organs through prolonged or repeated exposure
May form combustible dust concentrations in air

Precautionary Statements:

P202 - Do not handle until all safety precautions have been read and understood
P260 - Do not breathe dust/fume/gas/mist/vapors/spray
P272 - Contaminated work clothing should not be allowed out of the workplace
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P308 + P313 - IF exposed or concerned: Get medical attention/advice
P302+ P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention
P363 - Wash contaminated clothing before reuse
P405 - Store locked up
P501 - Dispose of contents/container in accordance with all local and national regulations

Other Hazards
No data available

Australian Hazard Classification (NOHSC):
Hazardous Substance. Non-Dangerous Goods.

Note:
This document has been prepared in accordance with standards for workplace safety, which require the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	EU Classification	GHS Classification	%
Voriconazole	137234-62-9	Not Listed	Carc. Cat.3;R40 Repr. Cat.2;R61 Xn;R22 Xn;R48/22	Acute Tox.3 (H301) Carc. 2 (H351) Repr. 1B (H360D) STOT RE 2 (H373) Aquatic Acute 3 (H402)	5-7
Sulfobutylether b-cyclodextrin sodium (SBECD)	7585-39-9	231-493-2	Xi;43	Skin Sens. 1 (H317)	*

Additional Information:

* Proprietary
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.
In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the R phrases and CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.

Medical Conditions Aggravated by Exposure: None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Use carbon dioxide, dry chemical, or water spray.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: Carbon monoxide, carbon dioxide, nitrogen oxides and fluorine-containing compounds

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Avoid generating airborne dust. Avoid breathing dust. Avoid contact with eyes, skin and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.
Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Voriconazole

Pfizer OEL TWA-8 Hr: 100µg/m^3

Sulfobutylether b-cyclodextrin sodium (SBECD)

Pfizer OEL TWA-8 Hr: 3000µg/m^3

Analytical Method: Analytical method available for Voriconazole and Sulfobutylether b-cyclodextrin sodium. Contact Pfizer Inc for further information.

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk processing operations.

Eyes: Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Lyophilized powder	**Color:**	White
Odor:	No data available.	**Odor Threshold:**	No data available.
Molecular Formula:	Mixture	**Molecular Weight:**	Mixture

Solvent Solubility: No data available
Water Solubility: No data available
pH: 5.7-7.3 (reconstituted)
Melting/Freezing Point (°C): No data available
Boiling Point (°C): No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)
Sulfobutylether b-cyclodextrin sodium (SBECD)
No data available

9. PHYSICAL AND CHEMICAL PROPERTIES

Voriconazole
Measured 7 Log P 1.75
Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available
Vapor Pressure (kPa): No data available
Vapor Density (g/ml): No data available
Relative Density: No data available
Viscosity: No data available

Flammablity:
Autoignition Temperature (Solid) (°C): No data available
Flammability (Solids): No data available
Flash Point (Liquid) (°C): No data available
Upper Explosive Limits (Liquid) (% by Vol.): No data available
Lower Explosive Limits (Liquid) (% by Vol.): No data available
Polymerization: Will not occur

10. STABILITY AND REACTIVITY

Reactivity: No data available
Chemical Stability: Stable under normal conditions of use.
Possibility of Hazardous Reactions
Oxidizing Properties: No data available
Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.
Incompatible Materials: As a precautionary measure, keep away from strong oxidizers
Hazardous Decomposition Products: No data available

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects
General Information: The information included in this section describes the potential hazards of the individual ingredients.
Short Term: May produce slight eye irritation., May be harmful if swallowed. (based on components) . Accidental ingestion may cause effects similar to those seen in clinical use.
Long Term: Adverse reproductive effects seen in repeat-dose animal studies are consistent with the pharmacologic action of this drug and are expected to be relevant to humans. Animal studies indicate that this material may cause adverse effects on the liver, the developing fetus.
Known Clinical Effects: The most common adverse effects reported with clinical use of voriconazole include visual disturbances, elevations of liver function tests and skin rash. Voriconazole has been associated with photosensitivity skin reactions especially during long term therapy.

Acute Toxicity: (Species, Route, End Point, Dose)

Sulfobutylether b-cyclodextrin sodium (SBECD)
Rat Oral LD50 > 2000 mg/kg
Rat/Mouse IV LD50 > 2000mg/kg

Voriconazole
Rat/Mouse Oral LD50 < 300 mg/kg
Rat/Mouse Oral LDmin. > 100mg/kg
Rat IV LD50 > 100mg/kg
Rat Dermal LD50 > 2000mg/kg

11. TOXICOLOGICAL INFORMATION

Acute Toxicity Comments: A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Sulfobutylether b-cyclodextrin sodium (SBECD)
Eye Irritation Rabbit Non-irritating
Skin Irritation Rabbit Non-irritating
Skin Sensitization - GPMT Guinea Pig Positive

Voriconazole
Skin Irritation Rabbit Non-irritating
Skin Sensitization - GPMT Guinea Pig Negative
Eye Irritation Rabbit Minimal

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Sulfobutylether b-cyclodextrin sodium (SBECD)
6 Month(s) Rat Intravenous 600 mg/kg/day NOAEL Kidney, Liver
1 Month(s) Rat Intravenous 160 mg/kg/day NOAEL Kidney
6 Month(s) Dog Intravenous 600 mg/kg/day NOAEL Kidney
1 Month(s) Dog Intravenous 120 mg/kg/day NOAEL Kidney

Voriconazole
1 Month(s) Rat Oral30 mg/kg/day NOAEL Liver
6 Month(s) Rat Oral 3 mg/kg/day NOAEL Liver, Kidney
12 Month(s) Dog Oral 8 mg/kg/day NOAEL Liver
6 Month(s) Rat Intravenous 10 mg/kg/day NOAEL Liver
6 Month(s) Dog Oral 6 mg/kg/day NOAEL Liver

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Sulfobutylether b-cyclodextrin sodium (SBECD)
Fertility and Embryonic Development Rat Intravenous1500 mg/kg/day NOAEL No effects at maximum dose
Embryo / Fetal Development Rabbit Intravenous 1500 mg/kg/day NOAEL Not Teratogenic
Prenatal & Postnatal Development Rat Intravenous 600 mg/kg/day NOAEL Maternal Toxicity

Voriconazole
Reproductive & Fertility Rat Oral3 mg/kg/day NOAEL Fetotoxicity
Embryo / Fetal Development Rat Oral 10 mg/kg/day LOAEL Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Sulfobutylether b-cyclodextrin sodium (SBECD)
Bacterial Mutagenicity (Ames) *Salmonella* , *E. coli* Negative
In Vitro Chromosome Aberration Human Lymphocytes Negative
Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells HGPRT Negative
In Vivo Micronucleus Mouse Bone Marrow Negative

Voriconazole
Bacterial Mutagenicity (Ames) Bacteria Negative
In Vitro Human Lymphocytes Equivocal
In Vivo Micronucleus Mouse Negative

11. TOXICOLOGICAL INFORMATION

Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

Voriconazole
2 Year(s) Rat Oral 18 mg/kg/day NOEL Benign tumors, Liver
2 Year(s) Mouse Oral 30 mg/kg/day NOAEL Malignant tumors, Liver

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: In the environment, the active ingredient in this formulation is expected to remain in water or migrate through the soil to groundwater and degrade slowly . Harmful effects to aquatic organisms could occur.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Sulfobutylether b-cyclodextrin sodium (SBECD)
Oncorhynchus mykiss (Rainbow Trout) OECD LC50 96 Hours > 220 mg/L
Daphnia magna (Water Flea) OECD EC-50 48 Hours > 96 mg/L
Green algae OECD IC50 72 Hours > 100 mg/L

Voriconazole
Mysidopsis bahia (Mysid Shrimp) NPDES LC50 48 Hours 62 mg/L
Red Algae IC50 73 mg/L
Skeletonema costatum (Marine Diatom) NPDES IC-50 48 Hours 74.7 mg/L
Green Algae OECD EbC50/72hr (OECD) EC50 72 Hours > 97 mg/L
Oncorhynchus mykiss (Rainbow Trout) OECD LC50 96 Hours 110 mg/L
Aquatic Toxicity Comments: A greater than symbol (>) indicates that aquatic toxicity was not observed at the maximum dose tested.

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Voriconazole
Activated sludge OECD EC50 > 810 mg/L
Polytox MIC > 100 mg/L

Chronic Aquatic Toxicity: (Species, Method, Duration, Endpoint, Result, Adverse Endpoint)

Voriconazole
Daphnia magna (Water Flea) OECD 21 Day(s) NOEC > 1 mg/L
Pimephales promelas (Fathead Minnow) OECD 32 Day(s) NOEC 1.2 mg/L
Chironomus riparius (Sediment-Dwelling Midges) OECD 28 Day(s) NOEC 100 mg/L

Persistence and Degradability:
Biodegradation: (Method, Inoculum, Biodeg Study, Result, Endpoint, Duration, Classification)
Voriconazole
OECD Activated sludge Ultimate (CO_2 Evolution) -0.24% After 28 Day(s) Not Ready

Bio-accumulative Potential:

Partition Coefficient: (Method, pH, Endpoint, Value)
Voriconazole
Measured 7 Log P 1.75

Mobility in Soil: No data available

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Canada - WHMIS: Classifications
WHMIS hazard class:
Class D, Division 2, Subdivision A

Voriconazole

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	Not Listed

15. REGULATORY INFORMATION

Sulfobutylether b-cyclodextrin sodium (SBECD)

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	231-493-2

16. OTHER INFORMATION

Text of R phrases and GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.3; H301 - Toxic if swallowed
Carcinogenicity-Cat.2; H351 - Suspected of causing cancer
Reproductive toxicity-Cat.1B; H360D - May damage the unborn child
Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure
Sensitization, skin-Cat.1; H317 - May cause an allergic skin reaction
Hazardous to the aquatic environment, acute toxicity-Cat.3; H402 - Harmful to aquatic life

Carcinogenic: Category 3
Toxic to Reproduction: Category 2
Xn - Harmful
Xi - Irritant

R22 - Harmful if swallowed.
R40 - Limited evidence of a carcinogenic effect
R61 - May cause harm to the unborn child.
R43 - May cause sensitization by skin contact.
R48/22 - Harmful: danger of serious damage to health by prolonged exposure if swallowed.

Data Sources:	Pfizer proprietary drug development information.
Reasons for Revision:	Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on Ingredients. Updated Section 7 - Handling and Storage. Updated Section 11 - Toxicology Information. Updated Section 12 - Ecological Information. Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 16 - Other Information.
Revision date:	04-Apr-2015
	Product Stewardship Hazard Communication
Prepared by:	Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet