



Pfizer and BioNTech Receive Expanded U.S. Emergency Use Authorization for an Additional COVID-19 Vaccine Booster in Individuals Aged 50 Years and Older

Tuesday, March 29, 2022 - 10:30am

.q4default .bwalignc { text-align: center; list-style-position: inside }.q4default .bwlistcircle { list-style-type: circle }.q4default .bwlistdecimal { list-style-type: decimal }.q4default .bwlistdisc { list-style-type: disc }.q4default .bwmarginl2 { margin-left: 60px }.q4default .bwuline { text-decoration: underline }

FDA also authorizes second booster dose for individuals 12 years of age and older who have certain kinds of immunocompromise Second booster dose is intended to offer increased protection against severe disease and hospitalization for individuals who are most vulnerable

NEW YORK & MAINZ, Germany--(BUSINESS WIRE)-- Pfizer Inc. (NYSE: PFE) and BioNTech SE (Nasdaq: BNTX) today announced that the U.S. Food and Drug Administration (FDA) has expanded the emergency use of their COVID-19 vaccine to include a second booster dose in adults ages 50 years and older who have previously received a first booster of any authorized COVID-19 vaccine. The FDA also has authorized a second booster dose for individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise and who have received a first booster dose of any authorized COVID-19 vaccine. The additional booster is to be administered at least four months after the first booster and is the same formulation and strength as prior Pfizer-BioNTech COVID-19 vaccine doses.

This press release features multimedia. View the full release here:

<https://www.businesswire.com/news/home/20220328005745/en/>

The expanded EUA is based on the totality of scientific evidence shared by the companies including immunogenicity data from an ongoing, open-label study in 154 healthcare workers 18 years of age and older at a single center in Israel who received two booster doses during a period when Omicron was the predominant variant. Among these individuals, approximately 11-fold increases in geometric mean neutralizing antibody titers against wild-type virus, and Delta and Omicron variants, respectively, were reported at two weeks after the second booster as compared to 5 months after the first booster dose.¹ No new safety concerns were noted among study participants.¹ The companies also shared with the FDA data from the U.S. and elsewhere showing a decline in vaccine effectiveness against COVID-19 3 to 6 months after the initial booster,²⁻⁶ and evidence from Israel that an additional booster dose can improve protection against severe disease and death. ⁷⁻⁹

Together, these data demonstrate the public health need in the most vulnerable individuals and suggest that an additional booster dose of the Pfizer-BioNTech COVID-19 Vaccine administered at least four months after the initial booster may restore antibody levels,¹ improve protection in older people,⁷⁻⁹ and provide a similar safety profile to that of previous doses.¹ These emerging data underscore the importance of considering an additional booster dose for all individuals included in this EUA.

The Pfizer-BioNTech COVID-19 Vaccine was previously authorized under EUA as a single booster administered to individuals aged 12 and older who have completed the primary vaccination series with the Pfizer-BioNTech COVID-19 Vaccine, as well as to individuals aged 18 and older who have completed primary vaccination with another authorized or approved COVID-19 vaccine. The second booster authorized today for those age 50 years and older is meant to extend high levels of protection against COVID-19 for the most vulnerable populations in advance of potential future waves.

The Pfizer-BioNTech COVID-19 Vaccine, which is based on BioNTech's proprietary mRNA technology, was developed by both BioNTech and Pfizer. BioNTech is the Marketing Authorization Holder in the United States, the European Union, the United Kingdom, Canada and the holder of emergency use authorizations or equivalents in the United States (jointly with Pfizer) and other countries. Submissions to pursue regulatory approvals in those countries where emergency use authorizations or equivalent were initially granted are planned.

U.S. Indication & Authorized Use

HOW IS THE VACCINE GIVEN?

The vaccine will be given as an injection into the muscle.

Primary Series:

In individuals 5 years of age and older, the vaccine is administered as a 2-dose series, 3 weeks apart. In individuals 5 years of age and older, a third primary series dose may be administered at least 28 days after the second dose to individuals who are determined to have certain kinds of immunocompromise.

Booster Dose:

A first booster dose of the vaccine may be administered at least 5 months after completion of a primary series of the Pfizer-BioNTech COVID-19 Vaccine or COMIRNATY® (COVID-19 Vaccine, mRNA) to individuals 12 years of age and older. A first booster dose of the vaccine may be administered to individuals 18 years of age and older who have completed primary vaccination with another authorized or approved COVID-19 vaccine. Individuals should check with their healthcare provider regarding timing of the booster dose. A second booster dose may be administered to individuals 50 years of age and older at least 4 months after receipt of a first booster dose of any of authorized COVID-19 vaccine. A second booster dose of the vaccine may be administered at least 4 months after receipt of a first booster dose of any authorized COVID-19 vaccine to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise.

WHAT IS THE INDICATION AND AUTHORIZED USE?

The FDA-approved COMIRNATY® (COVID-19 Vaccine, mRNA) and the EUA-authorized Pfizer-BioNTech COVID-19 Vaccine have the same formulation and can be used interchangeably. Although they may be manufactured in different facilities, the products offer the same safety and effectiveness.

The Pfizer-BioNTech COVID-19 Vaccine has received EUA from FDA to provide:

a 2-dose primary series to individuals 5 years of age and older a third primary series dose to individuals 5 years of age and older who have been determined to have certain kinds of immunocompromise a single booster dose to individuals 12 years of age and older who have completed a primary series with Pfizer-BioNTech COVID-19 Vaccine or COMIRNATY® (COVID-19 Vaccine, mRNA) a single booster dose to individuals 18 years of age and older

who have completed primary vaccination with another authorized or approved COVID-19 vaccine. The booster schedule is based on the labeling information of the vaccine used for the primary series a second booster dose may be administered to individuals 50 years of age and older who have received a first booster dose of any authorized COVID-19 vaccine; and a second booster dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise and who have received a first booster dose of any authorized COVID-19 vaccine.

COMIRNATY® (COVID-19 Vaccine, mRNA) is an FDA-approved COVID-19 vaccine made by Pfizer for BioNTech.

It is approved as a 2-dose series for prevention of COVID-19 in individuals 16 years of age and older It is also authorized under EUA to provide: a 2-dose primary series to individuals 12 through 15 years of age a third primary series dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise a single booster dose to individuals 12 years of age and older who have completed a primary series with Pfizer-BioNTech COVID-19 Vaccine or COMIRNATY® (COVID-19 Vaccine, mRNA) a single booster dose to individuals 18 years of age and older who have completed primary vaccination with another authorized or approved COVID-19 vaccine. The booster schedule is based on the labeling information of the vaccine used for the primary series a second booster dose may be administered to individuals 50 years of age and older who have received a first booster dose of any authorized COVID-19 vaccine; and a second booster dose to individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise and who have received a first booster dose of any authorized COVID-19 vaccine.

EUA Statement

Emergency uses of the vaccine have not been approved or licensed by FDA, but have been authorized by FDA, under an Emergency Use Authorization (EUA) to prevent Coronavirus Disease 2019 (COVID-19) in individuals 5 years of age and older. The emergency uses are only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of the medical product under Section 564(b)(1) of the FD&C Act unless the declaration is terminated, or authorization revoked sooner. Please see EUA Fact Sheet at www.cvdvaccine-us.com.

IMPORTANT SAFETY INFORMATION

Individuals should not get the vaccine if they:

had a severe allergic reaction after a previous dose of this vaccine had a severe allergic

reaction to any ingredient of this vaccine

Individuals should tell the vaccination provider about all of their medical conditions, including if they:

have any allergies
have had myocarditis (inflammation of the heart muscle) or pericarditis (inflammation of the lining outside the heart)
have a fever
have a bleeding disorder or are on a blood thinner
are immunocompromised or are on a medicine that affects the immune system
are pregnant, plan to become pregnant, or are breastfeeding
have received another COVID-19 vaccine
Have ever fainted in association with an injection

The vaccine may not protect everyone.

Side effects reported with the vaccine include:

There is a remote chance that the vaccine could cause a severe allergic reaction. A severe allergic reaction would usually occur within a few minutes to 1 hour after getting a dose of the vaccine. For this reason, vaccination providers may ask individuals to stay at the place where they received the vaccine for monitoring after vaccination. Signs of a severe allergic reaction can include difficulty breathing, swelling of the face and throat, a fast heartbeat, a bad rash all over the body, dizziness, and weakness. If an individual experiences a severe allergic reaction, they should call 9-1-1 or go to the nearest hospital.

Myocarditis (inflammation of the heart muscle) and pericarditis (inflammation of the lining outside the heart) have occurred in some people who have received the vaccine, more commonly in males under 40 years of age than among females and older males. In most of these people, symptoms began within a few days following receipt of the second dose of the vaccine. The chance of having this occur is very low. Individuals should seek medical attention right away if they have any of the following symptoms after receiving the vaccine: chest pain, shortness of breath, feelings of having a fast-beating, fluttering, or pounding heart.

Additional side effects that have been reported with the vaccine include: severe allergic reactions; non-severe allergic reactions such as rash, itching, hives, or swelling of the face; myocarditis (inflammation of the heart muscle); pericarditis (inflammation of the lining outside the heart); injection site pain; tiredness; headache; muscle pain; chills; joint pain; fever; injection site swelling; injection site redness; nausea; feeling unwell; swollen lymph nodes (lymphadenopathy); decreased appetite; diarrhea; vomiting; arm pain; fainting in association with injection of the vaccine. These may not be all the possible side effects of the vaccine. Serious and unexpected side effects may occur. The possible side effects of the vaccine are still being studied in clinical trials. Call the vaccination provider or healthcare provider about bothersome side effects or side effects that do not go away.

Data on administration of this vaccine at the same time as other vaccines have not yet been submitted to FDA. Individuals considering receiving this vaccine with other vaccines should discuss their options with their healthcare provider.

Patients should always ask their healthcare providers for medical advice about adverse events. Individuals are encouraged to report negative side effects of vaccines to the US Food and Drug Administration (FDA) and the Centers for Disease Control and Prevention (CDC). Visit <https://www.vaers.hhs.gov> or call 1-800- 822-7967. In addition, side effects can be reported to Pfizer Inc. at www.pfizersafetyreporting.com or by calling 1-800-438-1985.

Click for

Fact Sheets and Prescribing Information for individuals 12 years of age and older

Full Prescribing Information (16 years of age and older) DILUTE BEFORE USE, purple cap

Full Prescribing Information (16 years of age and older) DO NOT DILUTE, gray cap

EUA Fact Sheet for Vaccination Providers (12 years of age and older), Purple Cap

EUA Fact Sheet for Vaccination Providers (12 years of age and older), Gray Cap

Recipients and Caregivers Fact Sheet (12 years of age and older)

Fact Sheets for individuals 5 through 11 years of age

EUA Fact Sheet for Vaccination Providers (5 through 11 years of age), Orange Cap

Recipients and Caregivers Fact Sheet (5 through 11 years of age)

About Pfizer: Breakthroughs That Change Patients' Lives

At Pfizer, we apply science and our global resources to bring therapies to people that extend and significantly improve their lives. We strive to set the standard for quality, safety and value in the discovery, development and manufacture of health care products, including innovative medicines and vaccines. Every day, Pfizer colleagues work across developed and emerging markets to advance wellness, prevention, treatments and cures that challenge the most feared diseases of our time. Consistent with our responsibility as one of the world's premier innovative biopharmaceutical companies, we collaborate with health care providers, governments and local communities to support and expand access to reliable, affordable health care around the world. For more than 170 years, we have

worked to make a difference for all who rely on us. We routinely post information that may be important to investors on our website at www.Pfizer.com. In addition, to learn more, please visit us on www.Pfizer.com and follow us on Twitter at @Pfizer and @Pfizer News, LinkedIn, YouTube and like us on Facebook at [Facebook.com/Pfizer](https://www.facebook.com/Pfizer).

Pfizer Disclosure Notice

The information contained in this release is as of March 29, 2022. Pfizer assumes no obligation to update forward-looking statements contained in this release as the result of new information or future events or developments.

This release contains forward-looking information about Pfizer's efforts to combat COVID-19, the collaboration between BioNTech and Pfizer to develop a COVID-19 vaccine, the BNT162b2 mRNA vaccine program, and the Pfizer-BioNTech COVID-19 Vaccine, also known as COMIRNATY (COVID-19 Vaccine, mRNA) (BNT162b2) (including emergency use authorization in the U.S. of a second booster dose in adults ages 50 and older who have previously received a booster of any authorized COVID-19 vaccine and a second booster dose for individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise and who have received a first booster dose of any authorized COVID-19 vaccine, qualitative assessments of available data, potential benefits, expectations for clinical trials, potential regulatory submissions, the anticipated timing of data readouts, regulatory submissions, regulatory approvals or authorizations and anticipated manufacturing, distribution and supply) involving substantial risks and uncertainties that could cause actual results to differ materially from those expressed or implied by such statements. Risks and uncertainties include, among other things, the uncertainties inherent in research and development, including the ability to meet anticipated clinical endpoints, commencement and/or completion dates for clinical trials, regulatory submission dates, regulatory approval dates and/or launch dates, as well as risks associated with preclinical and clinical data (including Phase 1/2/3 or Phase 4 data) for BNT162b2 or any other vaccine candidate in the BNT162 program in any of our studies in pediatrics, adolescents or adults or real world evidence, including the possibility of unfavorable new preclinical, clinical or safety data and further analyses of existing preclinical, clinical or safety data; the ability to produce comparable clinical or other results, including the rate of vaccine effectiveness and safety and tolerability profile observed to date, in additional analyses of the Phase 3 trial and additional studies, in real world data studies or in larger, more diverse populations following commercialization; the ability of BNT162b2 or any future vaccine to prevent COVID-19 caused by emerging virus variants; the risk that more widespread use of the vaccine will lead to new information about efficacy, safety, or other developments, including the risk of additional adverse

reactions, some of which may be serious; the risk that preclinical and clinical trial data are subject to differing interpretations and assessments, including during the peer review/publication process, in the scientific community generally, and by regulatory authorities; whether and when additional data from the BNT162 mRNA vaccine program will be published in scientific journal publications and, if so, when and with what modifications and interpretations; whether regulatory authorities will be satisfied with the design of and results from these and any future preclinical and clinical studies; whether and when submissions to request emergency use or conditional marketing authorizations for BNT162b2 in additional populations, for a potential booster dose for BNT162b2 or any potential future vaccines (including potential future annual boosters or re-vaccinations) and/or other biologics license and/or emergency use authorization applications or amendments to any such applications may be filed in particular jurisdictions for BNT162b2 or any other potential vaccines that may arise from the BNT162 program, including a potential variant based, higher dose, or bivalent vaccine, and if obtained, whether or when such emergency use authorizations or licenses will expire or terminate; whether and when any applications that may be pending or filed for BNT162b2 (including any requested amendments to the emergency use or conditional marketing authorizations) or other vaccines that may result from the BNT162 program may be approved by particular regulatory authorities, which will depend on myriad factors, including making a determination as to whether the vaccine's benefits outweigh its known risks and determination of the vaccine's efficacy and, if approved, whether it will be commercially successful; decisions by regulatory authorities impacting labeling or marketing, manufacturing processes, safety and/or other matters that could affect the availability or commercial potential of a vaccine, including development of products or therapies by other companies; disruptions in the relationships between us and our collaboration partners, clinical trial sites or third-party suppliers; the risk that demand for any products may be reduced or no longer exist; risks related to the availability of raw materials to manufacture a vaccine; challenges related to our vaccine's formulation, dosing schedule and attendant storage, distribution and administration requirements, including risks related to storage and handling after delivery by Pfizer; the risk that we may not be able to successfully develop other vaccine formulations, booster doses or potential future annual boosters or re-vaccinations or new variant based vaccines; the risk that we may not be able to maintain or scale up manufacturing capacity on a timely basis or maintain access to logistics or supply channels commensurate with global demand for our vaccine, which would negatively impact our ability to supply the estimated numbers of doses of our vaccine within the projected time periods as previously indicated; whether and when additional supply agreements will be reached;

uncertainties regarding the ability to obtain recommendations from vaccine advisory or technical committees and other public health authorities and uncertainties regarding the commercial impact of any such recommendations; challenges related to public vaccine confidence or awareness; uncertainties regarding the impact of COVID-19 on Pfizer's business, operations and financial results; and competitive developments.

A further description of risks and uncertainties can be found in Pfizer's Annual Report on Form 10-K for the fiscal year ended December 31, 2021 and in its subsequent reports on Form 10-Q, including in the sections thereof captioned "Risk Factors" and "Forward-Looking Information and Factors That May Affect Future Results", as well as in its subsequent reports on Form 8-K, all of which are filed with the U.S. Securities and Exchange Commission and available at www.sec.gov and www.pfizer.com.

About BioNTech

Biopharmaceutical New Technologies is a next generation immunotherapy company pioneering novel therapies for cancer and other serious diseases. The Company exploits a wide array of computational discovery and therapeutic drug platforms for the rapid development of novel biopharmaceuticals. Its broad portfolio of oncology product candidates includes individualized and off-the-shelf mRNA-based therapies, innovative chimeric antigen receptor T cells, bi-specific checkpoint immuno-modulators, targeted cancer antibodies and small molecules. Based on its deep expertise in mRNA vaccine development and in-house manufacturing capabilities, BioNTech and its collaborators are developing multiple mRNA vaccine candidates for a range of infectious diseases alongside its diverse oncology pipeline. BioNTech has established a broad set of relationships with multiple global pharmaceutical collaborators, including Genmab, Sanofi, Bayer Animal Health, Genentech, a member of the Roche Group, Regeneron, Genevant, Fosun Pharma, and Pfizer. For more information, please visit www.BioNTech.de.

BioNTech Forward-looking Statements

This press release contains "forward-looking statements" of BioNTech within the meaning of the Private Securities Litigation Reform Act of 1995. These forward-looking statements may include, but may not be limited to, statements concerning: BioNTech's efforts to combat COVID-19; the collaboration between BioNTech and Pfizer including the program to develop a COVID-19 vaccine and COMIRNATY (COVID-19 vaccine, mRNA) (BNT162b2) (including emergency use authorization in the U.S. of a second booster dose in adults ages 50 and older who have previously received a booster of any authorized COVID-19

vaccine and a second booster dose for individuals 12 years of age and older who have been determined to have certain kinds of immunocompromise and who have received a first booster dose of any authorized COVID-19 vaccine, qualitative assessments of available data, potential benefits, expectations for clinical trials, the anticipated timing of regulatory submissions, regulatory approvals or authorizations and anticipated manufacturing, distribution and supply); our expectations regarding the potential characteristics of BNT162b2 in our clinical trials, real world data studies, and/or in commercial use based on data observations to date; the ability of BNT162b2 or a future vaccine to prevent COVID-19 caused by emerging virus variants; the expected time point for additional readouts on efficacy data of BNT162b2 in our clinical trials; the nature of the clinical data, which is subject to ongoing peer review, regulatory review and market interpretation; the timing for submission of data for BNT162, or any future vaccine, in additional populations, or receipt of, any marketing approval or emergency use authorization or equivalent, including or amendments or variations to such authorizations; the development of other vaccine formulations, booster doses or potential future annual boosters or re-vaccinations or new variant based vaccines; our contemplated shipping and storage plan, including our estimated product shelf life at various temperatures; the ability of BioNTech to supply the quantities of BNT162 to support clinical development and market demand, including our production estimates for 2022; challenges related to public vaccine confidence or awareness; decisions by regulatory authorities impacting labeling or marketing, manufacturing processes, safety and/or other matters that could affect the availability or commercial potential of a vaccine, including development of products or therapies by other companies; disruptions in the relationships between us and our collaboration partners, clinical trial sites or third-party suppliers; the risk that demand for any products may be reduced or no longer exist; the availability of raw material to manufacture BNT162 or other vaccine formulation; challenges related to our vaccine's formulation, dosing schedule and attendant storage, distribution and administration requirements, including risks related to storage and handling after delivery; and uncertainties regarding the impact of COVID-19 on BioNTech's trials, business and general operations. Any forward-looking statements in this press release are based on BioNTech current expectations and beliefs of future events and are subject to a number of risks and uncertainties that could cause actual results to differ materially and adversely from those set forth in or implied by such forward-looking statements. These risks and uncertainties include, but are not limited to: the ability to meet the pre-defined endpoints in clinical trials; competition to create a vaccine for COVID-19; the ability to produce comparable clinical or other results, including our stated rate of vaccine effectiveness and safety and tolerability profile

observed to date, in the remainder of the trial or in larger, more diverse populations upon commercialization; the ability to effectively scale our production capabilities; and other potential difficulties.

For a discussion of these and other risks and uncertainties, see BioNTech's Annual Report as Form 20-F for the Year Ended December 31, 2020, filed with the SEC on March 30, 2021, which is available on the SEC's website at www.sec.gov. All information in this press release is as of the date of the release, and BioNTech undertakes no duty to update this information unless required by law.

Regev-Yochay G, Gonen T, Gilboa M, et al. Efficacy of a Fourth Dose of Covid-19 mRNA Vaccine against Omicron. <https://www.nejm.org/doi/full/10.1056/NEJMc2202542>.

Published online March 16, 2022. doi: 10.1056/NEJMc2202542 COVID-19 vaccine surveillance report – Week 9. UK Health Security Agency. Published March 17, 2022. Accessed March 16, 2022.

https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/112444/surveillance-report-week-9.pdf Andrews N, Stowe J, Kirsebom F, et al. Covid-19 Vaccine Effectiveness against the Omicron (B.1.1.529) Variant.

<https://doi.org/10.1056/NEJMoa2119451>. Published online March 2, 2022.

doi:10.1056/NEJMOA2119451 Tartof SY, Slezak JM, Puzniak L, et al. BNT162b2 (Pfizer-Biontech) mRNA COVID-19 Vaccine Against Omicron-Related Hospital and Emergency Department Admission in a Large US Health System: A Test-Negative Design. SSRN Electronic Journal. Published online January 20, 2022. doi:10.2139/SSRN.4011905

Chemaitelly H, Ayoub HH, Almukdad S, et al. Duration of protection of BNT162b2 and mRNA-1273 COVID-19 vaccines against symptomatic SARS-CoV-2 Omicron infection in Qatar. medRxiv. Published online February 8, 2022:2022.02.07.22270568.

doi:10.1101/2022.02.07.22270568 Ferdinands JM, Rao S, Dixon BE, et al. Waning 2-Dose and 3-Dose Effectiveness of mRNA Vaccines Against COVID-19-Associated Emergency Department and Urgent Care Encounters and Hospitalizations Among Adults During Periods of Delta and Omicron Variant Predominance - VISION Network, 10 States, August 2021-January 2022. MMWR Morbidity and mortality weekly report. 2022;71(7):255-263.

doi:10.15585/MMWR.MM7107E2 Bar-On YM, Goldberg Y, Mandel M, et al. Protection by 4th dose of BNT162b2 against Omicron in Israel. medRxiv. Published online February 1, 2022:2022.02.01.22270232. doi:10.1101/2022.02.01.22270232

Gazit S et al. Relative Effectiveness of Four Doses Compared to Three Doses of the BNT162b2 Vaccine in Israel. medRxiv. Published online March 24, 2022:2022.03.24.22272835.

doi:10.1101/2022.03.24.22272835 Arbel et al. Second Booster Vaccine and Covid-19 Mortality in Adults 60 to 100 Years Old \. 24514bba-2c9d-4add-9d8f-321f610ed199.pdf (researchsquare.com)

View source version on businesswire.com:

<https://www.businesswire.com/news/home/20220328005745/en/>

Pfizer: Media Relations +1 (212) 733-7410 PfizerMediaRelations@pfizer.com

Investor Relations +1 (212) 733-4848 IR@pfizer.com

BioNTech: Media Relations Jasmina Alatovic +49 (0)6131 9084 1513 Media@biontech.de

Investor Relations Sylke Maas, Ph.D. +49 (0)6131 9084 1074 Investors@biontech.de

Source: Pfizer Inc.