



SAFETY DATA SHEET

Revision date: 30-Nov-2018

Version: 7.1

Page 1 of 11

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Anidulafungin for Injection

Trade Name: ERAXIS; ECALTA; EQUALTHA

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product used as antifungal agent

Details of the Supplier of the Safety Data Sheet

Pfizer Inc
Pfizer Pharmaceuticals Group
235 East 42nd Street
New York, New York 10017
1-800-879-3477

Pfizer Ltd
Ramsgate Road
Sandwich, Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Emergency telephone number:
International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

Serious Eye Damage/Eye Irritation: Category 2B

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

Label Elements

Signal Word: Warning
Hazard Statements: H320 - Causes eye irritation
May form combustible dust concentrations in air

Precautionary Statements: P264 - Wash hands thoroughly after handling
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P337 + P313 - If eye irritation persists: Get medical advice/attention

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 2 of 11
Version: 7.1

Other Hazards An Occupational Exposure Value has been established for one or more of the ingredients (see Section 8).

Note: This document has been prepared in accordance with standards for workplace safety, which requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Anidulafungin	166663-25-8	Not Listed	Eye Irrit. 2(H320) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	10
Sodium hydroxide	1310-73-2	215-185-5	Skin Corr.1A (H314)	**
Hydrochloric Acid	7647-01-0	231-595-7	STOT SE 3 (H335) Skin Corr. 1A (H314) Press. Gas Acute Tox. 3 (H331)	**

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Fructose	57-48-7	200-333-3	Not Listed	*
Mannitol	69-65-8	200-711-8	Not Listed	*
Polysorbate 80	9005-65-6	Not Listed	Not Listed	*
Tartaric acid	87-69-4	201-766-0	Not Listed	*

Additional Information: * Proprietary
** to adjust pH
Ingredient(s) indicated as hazardous have been assessed under standards for workplace safety.
In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 3 of 11
Version: 7.1

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards Identification and/or Section 11 - Toxicological Information.
Medical Conditions Aggravated by Exposure: None known

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO₂, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Products: May include oxides of carbon and products of nitrogen.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all firefighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of dry solids. Clean spill area thoroughly.

Additional Consideration for Large Spills: Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Cleanup operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize dust generation and accumulation. Avoid inhalation and contact with skin, eye, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Refer to Section 12 - Ecological Information, for information on potential effects on the environment. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging. Do not freeze.

Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Refer to available public information for specific member state Occupational Exposure Limits.

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 4 of 11
Version: 7.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Anidulafungin

Pfizer OEL TWA-8 Hr: 200µg/m³

Sodium hydroxide

ACGIH Ceiling Threshold Limit:	2 mg/m ³
Australia PEAK	2 mg/m ³
Austria OEL - MAKs	2 mg/m ³
Bulgaria OEL - TWA	2.0 mg/m ³
Czech Republic OEL - TWA	1 mg/m ³
Estonia OEL - TWA	1 mg/m ³
France OEL - TWA	2 mg/m ³
Greece OEL - TWA	2 mg/m ³
Hungary OEL - TWA	2 mg/m ³
Japan - OELs - Ceilings	2 mg/m ³
Latvia OEL - TWA	0.5 mg/m ³
OSHA - Final PELs - TWAs:	2 mg/m ³
Poland OEL - TWA	0.5 mg/m ³
Slovakia OEL - TWA	2 mg/m ³
Slovenia OEL - TWA	2 mg/m ³
Sweden OEL - TWAs	1 mg/m ³
Switzerland OEL - TWAs	2 mg/m ³

Hydrochloric Acid

ACGIH Ceiling Threshold Limit:	2 ppm
Australia PEAK	5 ppm
	7.5 mg/m ³
Austria OEL - MAKs	5 ppm
	8 mg/m ³
Belgium OEL - TWA	5 ppm
	8 mg/m ³
Bulgaria OEL - TWA	5 ppm
	8.0 mg/m ³
Cyprus OEL - TWA	5 ppm
	8 mg/m ³
Czech Republic OEL - TWA	8 mg/m ³
Estonia OEL - TWA	5 ppm
	8 mg/m ³
Germany - TRGS 900 - TWAs	2 ppm
	3 mg/m ³
Germany (DFG) - MAK	2 ppm
	3.0 mg/m ³
Greece OEL - TWA	5 ppm
	7 mg/m ³
Hungary OEL - TWA	8 mg/m ³
Ireland OEL - TWAs	5 ppm
	8 mg/m ³
Italy OEL - TWA	5 ppm
	8 mg/m ³
Japan - OELs - Ceilings	2 ppm
	3.0 mg/m ³
Latvia OEL - TWA	5 ppm
	8 mg/m ³

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 5 of 11
Version: 7.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Lithuania OEL - TWA	5 ppm 8 mg/m ³
Luxembourg OEL - TWA	5 ppm 8 mg/m ³
Malta OEL - TWA	5 ppm 8 mg/m ³
Netherlands OEL - TWA	8 mg/m ³
Poland OEL - TWA	5 mg/m ³
Portugal OEL - TWA	5 ppm 8 mg/m ³
Romania OEL - TWA	5 ppm 8 mg/m ³
Slovakia OEL - TWA	5 ppm 8.0 mg/m ³
Slovenia OEL - TWA	5 ppm 8 mg/m ³
Spain OEL - TWA	5 ppm 7.6 mg/m ³
Switzerland OEL -TWAs	2 ppm 3.0 mg/m ³
Vietnam OEL - TWAs	5 mg/m ³

Tartaric acid

Germany (DFG) - MAK	2 mg/m ³
---------------------	---------------------

Analytical Method:

Analytical method available for anidulafungin. Contact Pfizer Inc for further information.

Exposure Controls

Engineering Controls:

Engineering controls should be used as the primary means to control exposures. General room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne contamination levels below the exposure limits listed above in this section.

Personal Protective Equipment:

Refer to applicable national standards and regulations in the selection and use of personal protective equipment (PPE). Contact your safety and health professional or safety equipment supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and specific operational processes.

Hands:

Impervious gloves (e.g. Nitrile, etc.) are recommended if skin contact with drug product is possible and for bulk processing operations. (Protective gloves must meet the standards in accordance with EN374, ASTM F1001 or international equivalent.)

Eyes:

Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the standards in accordance with EN166, ANSI Z87.1 or international equivalent.)

Skin:

Impervious protective clothing is recommended if skin contact with drug product is possible and for bulk processing operations. (Protective clothing must meet the standards in accordance with EN13982, ANSI 103 or international equivalent.)

Respiratory protection:

Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a half mask, P3 filter). (Respirators must meet the standards in accordance with EN140, EN143, ASTM F2704-10 or international equivalent.)

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 6 of 11
Version: 7.1

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Lyophilized powder	Color:	White to off-white
Odor:	No data available.	Odor Threshold:	No data available.
Molecular Formula:	Mixture	Molecular Weight:	Mixture

Solvent Solubility:	Slightly soluble: Ethanol
Water solubility:	</= 0.1 mg/mL
Water Solubility:	No data available
pH:	3.5-5.5
Melting/Freezing Point (°C):	No data available
Boiling Point (°C):	No data available.
Partition Coefficient: (Method, pH, Endpoint, Value)	

Anidulafungin
No data available

Fructose
No data available

Mannitol
No data available

Polysorbate 80
No data available

Tartaric acid
No data available

Hydrochloric Acid
No data available

Sodium hydroxide
No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s): No data available

Vapor Pressure (kPa): No data available

Vapor Density (g/ml): No data available

Relative Density: No data available

Viscosity: No data available

Flammability:

Autoignition Temperature (Solid) (°C): No data available

Flammability (Solids): No data available

Flash Point (Liquid) (°C): No data available

Upper Explosive Limits (Liquid) (% by Vol.): No data available

Lower Explosive Limits (Liquid) (% by Vol.): No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available
Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions.

Incompatible Materials: As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition Products: No data available

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 7 of 11
Version: 7.1

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information:

The information included in this section describes the potential hazards of the individual ingredients.

Short Term:

May cause eye irritation. May cause slight skin irritation. (based on components) . The active ingredient is not acutely toxic.

Long Term:

Repeat-dose studies in animals have shown a potential to cause adverse effects on liver

Known Clinical Effects:

May cause allergic reaction, nausea, headache, and diarrhea.

Acute Toxicity: (Species, Route, End Point, Dose)

Anidulafungin

Rat Oral LD50 > 500 mg/kg

Dog Oral LD50 > 500mg/kg

Rabbit Dermal LD50 > 1000mg/kg

Rat IV LD50 71mg/kg

Mannitol

Rat Oral LD 50 13500 mg/kg

Mouse Oral LD 50 22 g/kg

Polysorbate 80

Rat Oral LD50 25 g/kg

Sodium hydroxide

Mouse IP LD50 40 mg/kg

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Anidulafungin

Eye Irritation Rabbit Positive

Skin Irritation Rabbit Mild

Sodium hydroxide

Eye Irritation Rabbit Severe

Skin Irritation Rabbit Severe

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Anidulafungin

1 Month(s) Rat Oral 250 mg/kg/day NOAEL No effects at maximum dose

13 Week(s) Monkey Intravenous 10 mg/kg/day NOAEL Liver

3 Month(s) Mouse Oral 100 mg/kg/day NOAEL Liver

3 Month(s) Rat Intravenous 10 mg/kg/day NOAEL Liver

6 Month(s) Dog Oral 100 mg/kg/day NOAEL Liver

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 8 of 11
Version: 7.1

11. TOXICOLOGICAL INFORMATION

Anidulafungin

Reproductive & Fertility Rat Intravenous 20 mg/kg/day NOAEL No effects at maximum dose
Peri-/Postnatal Development Rat Intravenous 2 mg/kg/day NOEL Maternal Toxicity
Embryo / Fetal Development Rabbit Intravenous 10 mg/kg/day NOAEL Maternal Toxicity, Developmental toxicity

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Anidulafungin

Bacterial Mutagenicity (Ames) *Salmonella*, *E. coli* Negative
In Vitro Chromosome Aberration Chinese Hamster Ovary (CHO) cells Negative
In Vivo Micronucleus Mouse Bone Marrow Negative

Carcinogen Status:

None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Hydrochloric Acid

IARC:

Group 3 (Not Classifiable)

12. ECOLOGICAL INFORMATION

Environmental Overview:

In the environment, the active ingredient in this formulation is expected to bind to soil or sediment. Harmful effects to aquatic organisms could occur. Releases to the environment should be avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Anidulafungin

Daphnia magna (Water Flea) OECD EC50 48 Hours 0.3 mg/L
Oncorhynchus mykiss (Rainbow Trout) OECD LC50 96 Hours 0.13 mg/L
Anabaena flos-aquae (Cyanobacteria) OECD EC50 96 Hours > 0.11 mg/L
Pseudokirchneriella subcapitata (Green Alga) OECD EC50 72 Hours > 0.19 mg/L
Ceriodaphnia dubia (Daphnids) EPA ErC50 7 Days > 0.260 mg/L

Bacterial Inhibition: (Inoculum, Method, End Point, Result)

Anidulafungin

Aspergillus niger (Fungus) OECD EC-50 MIC 0.0005 mg/L
Clostridium perfringens (Bacterium) OECD MIC 8.4 mg/L
Trichoderma viride (Fungus) OECD MIC > 210 mg/L
Bacillus subtilis (Bacterium) OECD MIC >210 mg/L
Nostoc sp. (Freshwater Cyanobacteria) OECD MIC > 210 mg/L

Persistence and Degradability: No data available

Bio-accumulative Potential: No data available

Mobility in Soil: No data available

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 9 of 11
Version: 7.1

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

This material is regulated for transportation as a hazardous material/dangerous good.

UN number:	UN 3077
UN proper shipping name:	Environmentally Hazardous Substance, Solid, n.o.s (anidulafungin)
Transport hazard class(es):	9
Packing group:	III
Environmental Hazard(s):	Marine Pollutant

5 kg/5L Exception:

UN3082 and UN3077 materials contained in good quality packaging in the quantities listed below are not regulated as dangerous goods for transport by any mode:

* Single packagings containing a net quantity of 5 liters or less for liquids or a net mass of 5 kg or less for solids.

* Combination packagings containing a net quantity per inner packaging of 5 liters or less for liquids or a net mass of 5 kg or less for solids.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Anidulafungin

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 4
EU EINECS/ELINCS List	Not Listed

Fructose

CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the obligations of Register:	Present

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
 Revision date: 30-Nov-2018

Page 10 of 11
 Version: 7.1

15. REGULATORY INFORMATION

EU EINECS/ELINCS List	200-333-3
Sodium hydroxide	
CERCLA/SARA 313 Emission reporting	Not Listed
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	1000 lb 454 kg
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 5 Schedule 6
EU EINECS/ELINCS List	215-185-5
Hydrochloric Acid	
CERCLA/SARA 313 Emission reporting	1.0 %
CERCLA/SARA Hazardous Substances and their Reportable Quantities:	5000 lb 2270 kg
CERCLA/SARA - Section 302 Extremely Hazardous TPQs	500 lb
CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs	5000 lb
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
Standard for the Uniform Scheduling for Drugs and Poisons:	Schedule 5 Schedule 6
EU EINECS/ELINCS List	231-595-7
Mannitol	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
REACH - Annex IV - Exemptions from the obligations of Register:	Present
EU EINECS/ELINCS List	200-711-8
Polysorbate 80	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	Not Listed
Tartaric acid	
CERCLA/SARA 313 Emission reporting	Not Listed
California Proposition 65	Not Listed
Inventory - United States TSCA - Sect. 8(b)	Present
Australia (AICS):	Present
EU EINECS/ELINCS List	201-766-0

SAFETY DATA SHEET

Material Name: Anidulafungin for Injection
Revision date: 30-Nov-2018

Page 11 of 11
Version: 7.1

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Serious eye damage/eye irritation-Cat. 2B; H320 - Causes eye irritation
Hazardous to the aquatic environment, acute toxicity-Cat.1; H400 - Very toxic to aquatic life
Hazardous to the aquatic environment, chronic toxicity-Cat.1; H410 - Very toxic to aquatic life with long lasting effects
Skin corrosion/irritation-Cat.1A; H314 - Causes severe skin burns and eye damage
Specific target organ toxicity, single exposure; Respiratory tract irritation-Cat.3; H335 - May cause respiratory irritation
Acute toxicity, inhalation-Cat.3; H331 - Toxic if inhaled

Data Sources: Pfizer proprietary drug development information. Publicly available toxicity information. Safety data sheets for individual ingredients.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 1 - Identification of the Substance/Preparation and the Company/Undertaking. Updated Section 8 - Exposure Controls / Personal Protection.

Revision date: 30-Nov-2018
Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet