

Revision date: 10-Nov-2010 Version: 3.2 Page 1 of 7

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Pfizer Inc Pfizer Pharmaceuticals Group 235 East 42nd Street New York, New York 10017 1-212-573-2222

Emergency telephone number:
CHEMTREC (24 hours): 1-800-424-9300
Contact E-Mail: pfizer-MSDS@pfizer.com

Pfizer Ltd
Ramsgate Road
Sandwich, Kent
CT13 9NJ
United Kingdom
+00 44 (0)1304 616161
Emergency telephone number:
ChemSafe (24 hours): +44 (0)208 762 8322

Material Name: Donepezil Hydrochloride Orally Disintegrating Tablets

Trade Name: ARICEPT ODT Chemical Family: Mixture

Intended Use: Pharmaceutical product for the treatment of Alzheimer's disease

### 2. HAZARDS IDENTIFICATION

Appearance: Tablets, White or Yellow

Signal Word: WARNING

Statement of Hazard: Harmful if swallowed.

**Known Clinical Effects:** Ingestion of this material can cause effects similar to those seen in clinical use including

cholinergic crisis, charactertized by severe nausea, vomiting, salivation, sweating, slow heart rate, low blood pressure, muscles weakness, respiratory depression, syncope and convulsions.

**EU Classification** 

EU Indication of danger: Harmful

**EU Hazard Symbols:** 



**EU Risk Phrases:** 

R22 - Harmful if swallowed.

Australian Hazard Classification

(NOHSC):

Hazardous Substance. Non-Dangerous Goods.

**Note:** This document has been prepared in accordance with standards for workplace safety, which

require the inclusion of all known hazards of the active substance or its intermediates regardless of the potential risk. The precautionary statements and warnings included may not apply in all cases. Your needs may vary depending upon the potential for exposure in your

workplace.

Material Name: Donepezil Hydrochloride Orally Disintegrating Page 2 of 7

**Tablets** 

Revision date: 10-Nov-2010 Version: 3.2

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Hazardous

Ingredient	CAS Number	<b>EU EINECS/ELINCS List</b>	<b>EU Classification</b>	%
Donepezil hydrochloride	120011-70-3	Not Listed	T;R25 Xi;R36	5 or 10 ***
Colloidal silicon dioxide	7631-86-9	231-545-4	Not Listed	*

Ingredient	CAS Number	<b>EU EINECS/ELINCS List</b>	<b>EU Classification</b>	%
Mannitol	69-65-8	200-711-8	Not Listed	*
Ferric oxide yellow	51274-00-1	257-098-5	Not Listed	*
Polyvinyl alcohol	9002-89-5	Not Listed	Not Listed	*
Carrageenan	9000-07-1	232-524-2	Not Listed	*

Additional Information: \* Proprietary

\*\*\* per tablet/capsule/lozenge/suppository

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

For the full text of the R phrases mentioned in this Section, see Section 16

### 4. FIRST AID MEASURES

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

**Ingestion:** Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Symptoms and Effects of Exposure: For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Identification and/or Section 11 - Toxicological Information.

# 5. FIRE FIGHTING MEASURES

**Extinguishing Media:** Use carbon dioxide, dry chemical, or water spray.

Hazardous Combustion Products: May emit toxic fumes of carbon monoxide, carbon dioxide, nitrogen oxides, hydrogen chloride

and other chlorine-containing compounds.

Fire Fighting Procedures: During all fire fighting activities, wear appropriate protective equipment, including self-

contained breathing apparatus.

Fire / Explosion Hazards: Not applicable

## 6. ACCIDENTAL RELEASE MEASURES

Health and Safety Precautions: Personnel involved in clean-up should wear appropriate personal protective equipment (see

Section 8). Minimize exposure.

Material Name: Donepezil Hydrochloride Orally Disintegrating Page 3 of 7

**Tablets** 

Revision date: 10-Nov-2010 Version: 3.2

Measures for Cleaning / Collecting: Contain the source of spill if it is safe to do so. Collect spilled material by a method that

controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Measures for Environmental

**Protections:** 

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to

avoid environmental release.

**Additional Consideration for Large** 

Spills:

Non-essential personnel should be evacuated from affected area. Report emergency situations immediately. Clean up operations should only be undertaken by trained personnel.

### 7. HANDLING AND STORAGE

General Handling: Minimize dust generation and accumulation. If tablets or capsules are crushed and/or broken,

avoid breathing dust and avoid contact with eyes, skin, and clothing. When handling, use appropriate personal protective equipment (see Section 8). Wash hands and any exposed skin after removal of PPE. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or

other equivalent controls.

**Storage Conditions:** Store as directed by product packaging.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Donepezil hydrochloride

Pfizer OEL TWA-8 Hr: 150µg/m<sup>3</sup>

Colloidal silicon dioxide

Australia TWA 2 mg/m³
Austria OEL - MAKs Listed
Czech Republic OEL - TWA Listed
Estonia OEL - TWA Listed
Germany - TRGS 900 - TWAs 4 mg/m³
Germany (DFG) - MAK 4 mg/m³ MAK
Ireland OEL - TWAs Listed

Latvia OEL - TWA Listed

OSHA - Final PELs - Table Z-3 Mineral D: - (80)/(% SiO2) mg/m³ TWA

TWA-20 mppcf

Slovenia OEL - TWA Listed

Ferric oxide yellow

Bulgaria OEL - TWA Listed
Czech Republic OEL - TWA Listed

Analytical Method: Analytical method available for Donepezil Hydrochloride. Contact Pfizer Inc for further

information.

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Environmental Exposure Controls: Refer to specific Member State legislation for requirements under Community environmental

legislation.

Material Name: Donepezil Hydrochloride Orally Disintegrating Page 4 of 7

**Tablets** 

Revision date: 10-Nov-2010 Version: 3.2

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Personal Protective Equipment: Refer to applicable national standards and regulations in the selection and use of personal

protective equipment (PPE).

Hands: Impervious gloves are recommended if skin contact with drug product is possible and for bulk

processing operations.

**Eyes:** Wear safety glasses or goggles if eye contact is possible.

Skin: Impervious protective clothing is recommended if skin contact with drug product is possible and

for bulk processing operations.

Respiratory protection: If the applicable Occupational Exposure Limit (OEL) is exceeded, wear an appropriate

respirator with a protection factor sufficient to control exposures to below the OEL.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:TabletsColor:WhiteMolecular Formula:MixtureMolecular Weight:Mixture

## 10. STABILITY AND REACTIVITY

**Chemical Stability:** Stable under normal conditions of use.

**Conditions to Avoid:** Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

# 11. TOXICOLOGICAL INFORMATION

**General Information:** The information included in this section describes the potential hazards of the individual

ingredients.

### Acute Toxicity: (Species, Route, End Point, Dose)

## Donepezil hydrochloride

Rat Oral LD50 32.6 mg/kg Mouse Oral LD50 45.2 mg/kg Rat Intravenous LD50 7.6 mg/kg Mouse Intravenous LD50 3.7 mg/kg

Mannitol

Rat Oral LD 50 13500 mg/kg Mouse Oral LD 50 22 g/kg

Irritation / Sensitization: (Study Type, Species, Severity)

### Donepezil hydrochloride

Eye Irritation Rabbit Irritant
Skin Irritation Rabbit Non-irritating

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Material Name: Donepezil Hydrochloride Orally Disintegrating Page 5 of 7

**Tablets** 

Revision date: 10-Nov-2010 Version: 3.2

## 11. TOXICOLOGICAL INFORMATION

### Donepezil hydrochloride

13 Week(s) Rat Oral 1 mg/kg/day **NOEL** None identified Central Nervous System 13 Week(s) Oral 1 mg/kg/day Dog NOEL Oral 3 mg/kg/day NOEL Central Nervous System 12 Month(s) Rat 12 Month(s) Doa Oral 5 mg/kg/day NOEL Central Nervous System

## Reproduction & Development Toxicity: (Duration, Species, Route, Dose, End Point, Effect(s))

#### Donepezil hydrochloride

Embryo / Fetal Development Rat Oral 1 mg/kg/day NOEL Maternal toxicity, Not teratogenic Embryo / Fetal Development Rabbit Oral 3 mg/kg/day NOEL Maternal Toxicity, Not Teratogenic

#### Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

### Donepezil hydrochloride

Bacterial Mutagenicity (Ames) Salmonella , E. coli Negative

In Vitro Chromosome Aberration Chinese Hamster Ovary (CHO) cells Positive

In Vivo Micronucleus Mouse Negative

### Carcinogenicity: (Duration, Species, Route, Dose, End Point, Effect(s))

### Donepezil hydrochloride

88 Week(s) Mouse No route specified 180 mg/kg/day NOEL Not carcinogenic 104 Week(s) Rat No route specified 30 mg/kg/day NOEL Not carcinogenic

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

Carrageenan

IARC: Group 2B (Carrageenan, degraded)

Group 3 (Carrageenan, native)

OSHA: Present

Colloidal silicon dioxide

IARC: Group 3

Polyvinyl alcohol

IARC: Group 3

### 12. ECOLOGICAL INFORMATION

**Environmental Overview:** Environmental properties have not been thoroughly investigated. Releases to the environment

should be avoided.

Material Name: Donepezil Hydrochloride Orally Disintegrating Page 6 of 7

**Tablets** 

Revision date: 10-Nov-2010 Version: 3.2

## 13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

## 14. TRANSPORT INFORMATION

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

## 15. REGULATORY INFORMATION

EU Symbol: Xn
EU Indication of danger: Harmful

**EU Risk Phrases:** 

R22 - Harmful if swallowed.

**EU Safety Phrases:** 

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

S28 - After contact with skin, wash immediately with plenty of water.

S45 - In case of accident or if you feel unwell seek medical advice immediately (show the label

where possible).

**OSHA Label:** 

WARNING

Harmful if swallowed.

Canada - WHMIS: Classifications

WHMIS hazard class:

Class D, Division 1, Subdivision A Class D, Division 2, Subdivision B



Colloidal silicon dioxide

Inventory - United States TSCA - Sect. 8(b)

Listed

Material Name: Donepezil Hydrochloride Orally Disintegrating Page 7 of 7

**Tablets** 

Revision date: 10-Nov-2010 Version: 3.2

# 15. REGULATORY INFORMATION

Australia (AICS): Listed
EU EINECS/ELINCS List 231-545-4

**Mannitol** 

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Present

obligations of Register:

EU EINECS/ELINCS List 200-711-8

Ferric oxide yellow

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Standard for the Uniform Scheduling
for Drugs and Poisons:

Schedule 4
Schedule 5

Schedule 6 257-098-5

EU EINECS/ELINCS List 257-098-5

Polyvinyl alcohol

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Listed

Carrageenan

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

EU EINECS/ELINCS List

232-524-2

### 16. OTHER INFORMATION

### Text of R phrases mentioned in Section 3

R25 - Toxic if swallowed. R36 - Irritating to eyes.

**Data Sources:** Pfizer proprietary drug development information.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 3 - Composition / Information on

Ingredients. Updated Section 4 - First Aid Measures. Updated Section 7 - Handling and Storage. Updated Section 8 - Exposure Controls / Personal Protection. Updated Section 15 -

Regulatory Information.

Prepared by: Product Stewardship Hazard Communications

Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

**End of Safety Data Sheet**